

Asian Research Journal of Agriculture

Volume 17, Issue 4, Page 1012-1017, 2024; Article no.ARJA.128417 ISSN: 2456-561X

# Advancements in Palynology: Enhancing Plant Breeding through Pollen Studies

Chaitanya N. Vankalas. <sup>a\*</sup>, Snehal K. Nanekar. <sup>b</sup>, Pooja B. Patil. <sup>c</sup> and Tejashri T. Khore. <sup>c</sup>

 <sup>a</sup> Department of Horticulture (Vegetable Science), Dr. Sharadchandra Pawar College of Agriculture, Baramati- 413115, India.
<sup>b</sup> Department of Genetics and Plant Breeding, Dr. Sharadchandra Pawar College of Agriculture, Baramati- 413115, India.
<sup>c</sup> Department of Plant Pathology, Dr. Sharadchandra Pawar College of Agriculture, Baramati- 413115, India.

## Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

#### Article Information

DOI: https://doi.org/10.9734/arja/2024/v17i4614

#### **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/128417

Minireview Article

Received: 13/10/2024 Accepted: 15/12/2024 Published: 17/12/2024

# ABSTRACT

Palynology, the study of pollen and spores, has emerged as a vital discipline in plant science, with applications extending into plant breeding. This review explores the role of palynology in understanding reproductive biology, enhancing breeding programs, overcoming hybridization barriers and addressing challenges like male sterility, stress tolerance and species compatibility. Advanced techniques like transcriptomics reveal gene expression profiles, while proteomics and

<sup>\*</sup>Corresponding author: E-mail: chaituvankalas@gmail.com;

*Cite as:* Vankalas., Chaitanya N., Snehal K. Nanekar., Pooja B. Patil., and Tejashri T. Khore. 2024. "Advancements in Palynology: Enhancing Plant Breeding through Pollen Studies". Asian Research Journal of Agriculture 17 (4):1012-17. https://doi.org/10.9734/arja/2024/v17i4614.

metabolomics provide insights into fertility and stress responses. Pollen-mediated transformation and CRISPR-Cas9 gene editing facilitate targeted trait improvements, with pollen-specific promoters aiding hybrid breeding. Additionally, molecular tools support pollen viability testing, gene flow studies, and stress tolerance research, contributing to hybrid seed production and environmental adaptability. Palynology also ensures biosafety by tracking transgenic pollen, making it an integral component of sustainable crop improvement strategies.

Case studies illustrate its impact on cereals, legumes and horticultural crops. The article concludes by highlighting challenges and future directions for integrating palynological studies with emerging technologies to improve plant breeding outcomes. Plant breeding aims to develop superior crop varieties with desirable traits such as higher yields, resistance to biotic and abiotic stresses, improved quality and adaptability to diverse environments. Successful breeding hinges on understanding the reproductive biology of plants, particularly pollen, which serves as the carrier of male gametes.

Keywords: Palynology; plant breeding; pollen morphology; genetic diversity.

# 1. INTRODUCTION

Palynology, the scientific discipline focused on study of pollen and spores. the has demonstrated its value through a wide range of applications that directly benefit humanity. Each pollen grain or spore is a unicellular structure containing a small quantity of protoplasm, enclosed within a protective outer layer called the exine. This exine, composed of a biochemically robust material known as Sporopollenin, features intricately designed patterns. The term "Palynology" was introduced by Hyde and Williams [1] to encompass the study of both fossilized and extant pollen and spores. It originates from the Greek verb "Palynein," meaning "to scatter," and is closely related to "Pollen," which means "flour or dust." Over the past five decades, this field has undergone significant growth, branching into specialized Palynotaxonomy areas such as and Aeropalynology. Palynology, the science of pollen and spore study, provides crucial insights into pollen morphology, viability, germination and compatibility, which directly influence breeding success. This discipline integrates diverse fields such as taxonomy, genetics, physiology and molecular biology to address breeding challenges. The increasing demand for food security, climate resilience and sustainable agriculture underscores the importance of integrating palynology into breeding programs.

# 2. HISTORICAL PERSPECTIVE OF PALYNOLOGICAL STUDIES

Palynology has evolved from a descriptive science to a dynamic field with applications in plant breeding and crop improvement.

# 2.1 Early Contributions

**Classical Studies:** Early palynologists like Erdtman [2] focused on pollen morphology and its use in taxonomy. Techniques such as acetolysis revolutionized pollen preparation and microscopic analysis.

Advances in Microscopy: The introduction of electron microscopy enabled detailed studies of pollen wall architecture, opening new avenues in understanding pollen function.

**Modern Applications:** The advent of molecular biology and high-throughput technologies expanded the scope of palynology. These include genetic fingerprinting, transcriptomics and proteomics of pollen, enabling the identification of genes responsible for fertility, compatibility and stress tolerance.

# 3. METHODOLOGIES IN PALYNOLOGY

Palynological studies employ a wide array of techniques to analyze pollen characteristics. These methodologies form the backbone of its application in plant breeding.

# 3.1 Pollen Morphology

Pollen morphology provides insights into species classification, hybridization potential and adaptation to pollinators.

# **Key Features:**

• Shape and Size:Pollen grains may be spherical, oval, or triangular, ranging from 5 to 200 µm in size. For example, *Brassica* pollen is typically tricolpate, aiding in hybridization studies [3].

• Exine Structure: The outer layer of pollen (exine) exhibits patterns such as reticulate,

granulate, or spiny, which are species-specific [4].

## Techniques:

1. Light Microscopy (LM): Used for basic morphological studies.

Pollen grains are subprolate, contour subtriangular, angulo-aperturate, tricolporate, 23 (29) 43  $\mu$ m. Colpi open, ora raised, pores zonate, round, 3.5  $\mu$ m in diameter. Exine is faintly granulate, 3.6  $\mu$ m thick, sexine 1–1.5  $\mu$ m, nexine 1  $\mu$ m and intine 1  $\mu$ m thick.



Plate 1. Light microscopy micrographs of (*Capsicum frutescens* L.) 1 and 2 (polar view and equatorial view) (Kayani *et al.*, 2018)

Pollen grain is subtriangular, tricolporate, 17.1 (24) 28.5  $\mu$ m. Colpi most probably syncolpate, colpi 10–12  $\mu$ m long, and 3–4  $\mu$ m wide. Pore diameter is 5–6  $\mu$ m. Exine minutely granulate. Sexine is 1  $\mu$ m, nexine 1  $\mu$ m thick, and intine 1  $\mu$ m thick.



Plate 2. Light microscopy micrographs of (*Solanum melongena* L.) 1 and 2 (polar view and equatorial view), [5]

2. Scanning Electron Microscopy (SEM): Provides high-resolution images of exine patterns



Plate 3. Scanning electron micrographs of pollens and exine sculpturing pattern [5]

**3. Transmission Electron Microscopy (TEM)**: Explores internal structures.

# 3.2 Pollen Viability

Pollen viability is critical for fertilization and breeding success.

## Methods to Assess Viability:

## 1. Staining Techniques:

- Acetocarmine: Stains viable pollen red [6].
- Fluorescein Diacetate (FDA): A rapid fluorescent staining method [7].

**2.** *In vitro* **Germination**: Pollen grains are germinated on nutrient media to assess viability. For example, sucrose-based media with boric acid enhance germination in *Cucumis* species [8].

**3.** Flow Cytometry: Offers high-throughput viability assessment [9].

# 3.3 Pollen Germination

Pollen germination is a measure of functional fertility.

## Steps in Germination:

- 1. **Pollen Hydration**: Pollen absorbs moisture and activates metabolic pathways.
- 2. **Pollen Tube Emergence**: The tube grows through the aperture, delivering sperm cells to the ovule.
- 3. **Tube Elongation**: Controlled by calcium ion gradients and cytoskeletal dynamics.

# Analytical Techniques:

- 1. *In vivo* **Studies**: Tracking pollen tube growth in pistils using fluorescent markers [10].
- 2. *In vitro* Germination Assays: Quantifying tube length and growth rates [11].

# 3.4 Pollen Storage and Cryopreservation

Pollen storage facilitates asynchronous hybridization and germplasm conservation.

### Methods:

**Short-Term Storage**: Pollen is stored at low temperatures (4°C) for a few days.

**Cryopreservation**: Long-term storage in liquid nitrogen (-196°C) preserves viability. For

instance, cryopreserved *Zea mays* pollen maintains viability for over a decade [12].

# 3.5 Molecular and Biochemical Studies

Modern molecular tools have enhanced palynological research.

**Applications:** 

- **DNA Fingerprinting**: Identifies genetic variability in pollen [13].
- Proteomics: Studies pollen proteins linked to self-incompatibility and stress tolerance [14].
- **Transcriptomics**: Analyses gene expression during pollen development [15].

# 4. APPLICATIONS IN PLANT BREEDING

Palynology has diverse applications in plant breeding, contributing to crop improvement.

# 4.1 Hybridization Programs

Pollen studies help overcome pre- and postfertilization barriers in hybridization. For example: In *Brassica napus*, palynological analyses facilitated the development of high-yielding hybrids.

# 4.2 Male Sterility and Fertility Restoration

Cytoplasmic Male Sterility (CMS) used in hybrid seed production. CMS systems rely on pollen analysis to identify restorer lines. Example: In *Sorghum bicolor*, pollen viability tests identified fertility restorer genes [16].

# 4.3 Stress Tolerance

Pollen viability is highly sensitive to abiotic stresses. Example: Heat-tolerant wheat (*Triticum aestivum*) varieties were developed by selecting pollen with high viability under heat stress [17].

# 4.4 Genetic Diversity and Phylogenetics

Pollen morphology and molecular markers are used to assess genetic diversity and evolutionary relationships among species [18].

# 4.5 Pollination Biology

Studies on pollen-pollinator interactions enhance cross-pollination success in horticultural crops. Example: In *Mangifera indica*, compatible pollen donors improved fruit set [19].

# 5. CASE STUDIES IN PALYNOLOGY

# 5.1 Cereal Crops

**Rice (***Oryza sativa***):** Pollen viability tests under humid conditions improved hybrid seed production [20].

**Maize (***Zea mays***):** Cryopreserved pollen enabled breeding across growing seasons.

# **5.2 Horticultural Crops**

**Tomato** (*Solanum lycopersicum*): Pollen studies under heat stress identified tolerant genotypes [21].

**Apple (***Malus domestica***)**: Analysis of pollen compatibility improved orchard productivity [22].

# 6. CHALLENGES IN PALYNOLOGY

**Environmental Sensitivity:** Pollen viability is highly influenced by environmental factors like temperature and humidity [23].

**Resource Limitations:** Advanced techniques like SEM and flow cytometry require specialized infrastructure.

# 7. FUTURE DIRECTIONS

**Integration with molecular tools:** CRISPR-Cas9 can be used to edit pollen-specific genes for improved traits.

**High-throughput analysis:** Al and machine learning models can predict compatibility and hybrid success.

**Climate resilience:** Developing pollen storage methods for extreme environments.

# 8. CONCLUSION

Palynology is a cornerstone of modern plant breeding, providing insights into reproductive biology, hybridization and stress tolerance. Future advancements in molecular and computational tools will further enhance its utility in crop improvement programs.

# **DISCLAIMER (ARTIFICIAL INTELLIGENCE)**

Author(s) hereby declare that NO generative AI technologies such as Large Language Models

(ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of this manuscript.

# **COMPETING INTERESTS**

Authors have declared that no competing interests exist.

# REFERENCES

- 1. Hyde HA, Williams DA. Studies in atmospheric pollen. New Phytologist. 1944;43(1):49–61.
- Erdtman G. Pollen walls and angiosperm phylo-geny. Botaniska Notiser. 1960; 113:41–45.
- Hao K, Tian Z, Wang Z, Huang S. Pollen grain size associated with pollinator feeding strategy. Proceedings of the Royal Society B Biological Sciences. 2020; 287(1933).
- Zhang W, Zhao M, Fan J, Zhou T, Chen Y, Cao F. Study on relationship between pollen exine ornamentation pattern and germplasm evolution in flowering Crab-Apple. Scientific Reports. 2017;7(1).
- Kayani S, Hussain M, Ahmad M, Zafar M, Sultana S, Butt MA, Ali S, Shah GM, Mir S. Scanning Electron Microscopy (SEM) and Light Microscopy (LM)-based Palyno morphological views of Solanaceae in Western Himalaya. Microscopy Research and Technique. 2018;82(2):63–74.
- Gins E, Egorova A, Sivolapova A, Semenov A, Apshev K, Meleshin A, Moskalev E, Polivanova O, Belov G, Goryunova S. Pollen fertility assessment through acetocarmine staining and *In vitro* germination in *Solanum tuberosum L*. SABRAO Journal of Breeding and Genetics. 2022;54(5):1037–1048.
- 7. Heslop-Harrison JS. Karyobiology Group, Department of Cell Biology and JI Centre for Plant Science. (n.d.). Cytological techniques to assess pollen quality. In Cytological Techniques to Assess Pollen Quality.
- Vizintin L, Bohanec B. *In vitro* manipulation of cucumber (*Cucumis sativus L.*) Pollen and microspores: Isolation procedures, viability tests, germination, maturation. Acta Biologica Cracoviensia S Botanica. 2004;46.
- 9. Moon HS, Eda S, Saxton AM, Ow DW, Stewart CN. An efficient and rapid transgenic pollen screening and detection

method using flow cytometry. Biotechnology Journal. 2010;6(1):118–123.

- 10. Dempsey WH. Pollen Tube Growth *In vivo* as a Measure of Pollen Viability. Science. 1962;138(3538):436–437.
- 11. Rodriguez-Enriquez MJ, Mehdi S, Dickinson HG, Grant-Downton RT. A novel method for efficient *In vitro* germination and tube growth of Arabidopsis thaliana pollen. New Phytologist. 2012;197(2):668– 679.
- 12. Neha K. Evaluation of FDA Staining Technique in Stored Maize Pollen. Middle-East Journal of Scientific Research; 2012.
- Saleh MMS, Mostafa EAM, Ashour NE, Heiba SAA. DNA fingerprinting of date palm pollen sources and their relevance to yield and fruit traits. In Compendium of Plant Genomes. 2021;135–160.
- Chaturvedi P, Ghatak A, Weckwerth W. Pollen proteomics: From stress physiology to developmental priming. Plant Reproduction. 2016;29(1–2):119–132.
- Rutley N, Twell D. A decade of pollen transcriptomics. Plant Reproduction. 2015;28(2):73–89.
- Ingle K, Moharil M, Gahukar S, Jadhav P, Ghorade R, Thakur N, Kasanaboina K, Ceasar SA. Assessment of cytomorphological differences in sorghum fertility restoration. Agriculture. 2023; 13(5):985.
- 17. Khan I, Wu J, Sajjad M. Pollen viabilitybased heat susceptibility index (HSIpv): A

useful selection criterion for heat-tolerant genotypes in wheat. Frontiers in Plant Science. 2022;13.

- Banks H, Forest F, Lewis G. Evolution and diversity of pollen morphology in tribe Cercideae (Leguminosae). Taxon. 2014; 63(2):299–314.
- Gehrke-Vélez M, Castillo-Vera A, Ruiz-Bello C, Moreno-Martinez J, Moreno Basurto G. Delayed self-incompatibility causes morphological alterations and crop reduction in 'Ataúlfo' mango (*Mangifera indica L.*). New Zealand Journal of Crop and Horticultural Science. 2012;40(4):215– 227.
- 20. Sindhumole PRNAP. Assessing the viability and storage life in pollen grains of rice (*Oryza sativa L*.). Electronic Journal of Plant Breeding. 2020;11(02).
- 21. Paupière MJ, Van Haperen P, Rieu I, Visser RGF, Tikunov YM, Bovy AG. Screening for pollen tolerance to high temperatures in tomato. Euphytica. 2017; 213(6).
- 22. Delgado A, Quinet M, Dapena E. Analysis of the variability of floral and pollen traits in Apple Cultivars—Selecting suitable pollen donors for cider apple orchards. Agronomy. 2021;11(9):1717.
- 23. Cheung AY, Boavida LC, Aggarwal M, Wu H, Feijó JA. The pollen tube journey in the pistil and imaging the *In vivo* process by two-photon microscopy. Journal of Experimental Botany. 2010;61(7):1907– 1915.

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/128417