



Nanotechnology in Agriculture: Enhancing Seed Quality, Yield and Contribution to Sustainable Development Goals (SDGs)

K. Selvarani ^{a*}, T. Theivasanthi ^b and M. Ajitha ^b

^a Kalasalingam School of Agriculture and Horticulture, Kalasalingam Academy of Research and Education, Krishnankoil, Srivilliputhur, Virudhunagar-626126, Tamil Nadu, India.

^b Department of Physics, Kalasalingam Academy of Research and Education, Krishnankoil, Srivilliputhur, Virudhunagar-626126, Tamil Nadu, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/jabb/2025/v28i11857>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/128767>

Opinion Article

Received: 01/11/2024

Accepted: 03/01/2025

Published: 04/01/2025

ABSTRACT

Applications of nanotechnology have the potential to transform agricultural production by enabling improved conservation and management of plant and animal production inputs. The primary input that determines a crop's productivity is seed. Currently, a team of researchers is focusing on carbon nanotubes and metal oxide nanoparticles to enhance rainfed crop germination. The industrial manufacture of these technological systems and their field use present a number of challenges, such as scale-up, seed priming conditions, and harmful effects on plants and other creatures. Nevertheless, it is evident that the use of nanoparticle systems can change crop

*Corresponding author: E-mail: selvarani.k@klu.ac.in;

management by lowering the amounts of agricultural chemicals like fertilizers, fungicides, insecticides and pesticides used and the dangers of contamination, leading to safer farming methods for farmers, consumers, and the environment. In this case study analysis, the potential processes by which nano-priming triggers breaking seed dormancy, promotes seed germination, and affects the generation of primary and secondary metabolites are described in depth. Furthermore, taking into account their current status and potential future developments, the application of nano-based fertilizers and insecticides as efficient materials in nano-priming and plant growth development was also covered. Nanotechnology is emerging as a transformative technology in agriculture, especially in enhancing seed quality and increasing crop yield. By leveraging nanomaterials such as carbon nanotubes, metal oxide nanoparticles, and other forms, nanotechnology can revolutionize the way crops are grown, providing solutions for challenges like poor seed germination, resource inefficiency, and environmental degradation. This technological advancement directly aligns with the achievement of several United Nations Sustainable Development Goals (SDGs), contributing to a more sustainable and productive agricultural system. Although the use of nanomaterials can have a positive impact, there are concerns about their potential toxicity.

Keywords: Nanotechnology; seed; quality; dormancy; yield and SDGs.

1. INTRODUCTION

The size of the particle used in nanotechnological applications will be from one to 100nm with one or multiple dimensions. Nanotechnology, defined by the manipulation of materials at the nanometre scale (1-100 nm), holds great promise for improving agricultural production, particularly in enhancing seed quality and crop yield. Prior to seed treatment, the priming conditions must be assessed, taking into account the size and concentration of the nanoparticles as well as the length of exposure, as these elements may result in adverse effects like decreased plant development and hampered of seed germination. Nevertheless, there are a number of benefits to using nanoparticles for seed treatment. When seeds are treated, less nanomaterial exposure occurs than when foliar and soil treatments are used. The low amounts of nanoparticles used for seed treatments, which companies can manage to prevent a high release of these elements into the environment, is another advantage. Although there will likely be very little or no nanoparticle residue in plants, research is still required to clarify the ways in which various nanoparticles, such as metallics, metallic biogenic, and polymerics, affect plant development. By leveraging nanomaterials such as carbon nanotubes, metal oxide nanoparticles, and other forms, nanotechnology can revolutionize the way crops are grown, providing solutions for challenges like poor seed germination, resource inefficiency, and environmental degradation. This technological advancement directly aligns with the achievement of several United Nations

Sustainable Development Goals (SDGs), contributing to a more sustainable and productive agricultural system.

2. NANOTECHNOLOGY'S ROLE IN SEED TREATMENT AND CROP MANAGEMENT

One of the key applications of nanotechnology in agriculture is seed priming or seed treatment, where nanoparticles are used to enhance seed germination, growth, and resistance to environmental stresses.

1. Improved Seed Coatings

- **Nanomaterials for Seed Protection:** Seed coatings have long been used to protect seeds from environmental stress, pathogens, and pests. The incorporation of nanoparticles (silica, titanium dioxide, or zinc oxide) into these coatings enhances seed durability and protection. These nanoparticles can provide controlled release of fertilizers and pesticides, reducing environmental impact while improving seedling vigor. Eevera et al. 2023 reported that eco-friendly seed treatment strategies are possible by nano material seed treatments.

2. Improved Germination Rates

Nanotechnology-based coatings can help in improving water retention in the seed, which is crucial for better germination. Some nanoparticles have also been shown to improve

seedling emergence by facilitating better root development. Using nanoparticles or nanomaterials for seed treatment is one example of a technology that can boost seedling growth and yield, which can lead to successful farming and high productivity (Shelar et al. 2023). Mahakham et al. (2017), reported that rice seeds primed with photosynthesised nanoparticles shows enhanced seed germination. The enhanced seedling growth in onion was observed in green synthesised nanoparticles treated seeds by Acharya *et.al.* 2019. Anandaraj et al. 2018 reported that among ZnO, Ag, CuO and TiO₂ nanoparticles, application of nanoparticles ZnO @ 1000mg kg⁻¹ seed

improved germination and related physiological parameters in onion cv.CO (On) 5 seeds.

• Targeted Nutrient Delivery:

Nanoparticles can act as carriers for micronutrients and growth regulators. For instance, nano-sized fertilizers or hormones can be loaded into the seed coating and released gradually, ensuring the seedling gets the necessary nutrients at the right time, optimizing growth. Santana et al. 2020, explained the possibilities of targeted delivery of nanomaterials in plants. (Fig.1).




Fig. 1. Targeted delivery of nanomaterials with chemical cargoes in plants enabled by a biorecognition motif

(a) Quantum dots coated with a chloroplast guiding peptide (in blue) and a β -cyclodextrin (β -CD) molecular basket (in magenta) enable loading of methyl viologen (MV-Chl-QD) or ascorbic acid (Asc-Chl-QD) and targeted modification of the redox status of chloroplasts in planta. The Rubisco small subunit (RbcS) targeting peptide is designed to bind to the translocon super complex on the chloroplast outer membrane (TOC). b Multiple sequence alignment analysis (Clustal Omega) of RbcS 1 A chloroplast transit peptide sequences in common dicot crops and *Arabidopsis thaliana* plants. Asterisk indicates the identical amino acids among all the aligned sequences. Colon and dot indicate conserved substitutions in which an amino acid is replaced by another one with similar properties. Empty space represents a non-conserved substitution. Dash lines are introduced for optimal alignment and maximum similarity between all compared sequences. c Frequency logo plot of RbcS 1 A targeting peptide consensus sequence across selected dicot species. A score of 4 on y-axis means 100% conserved. d Rational design of chloroplast guiding peptide based on RbcS peptide biorecognition motif for nanoparticle targeting and translocation across chloroplast membranes. The chloroplast targeting peptide includes recognition sites for chloroplast import machinery by TOC, a cysteine residue at the C-terminus for conjugation with NHS-PEG4-MAL linker, and two glycine (G) amino acids as spacers and for increasing the peptide solubility.)

Source: Santana et al. 2020.

3. Nanomaterials for Enhanced Soil Interaction

• Nano-Fertilizers and Nano-Pesticides:

One of the major advantages of nanotechnology in agriculture is the development of nano-sized fertilizers and pesticides. These nano-formulations allow for more efficient absorption and utilization by plants, reducing wastage and increasing nutrient uptake. For instance, nano-based fertilizers may improve the bioavailability of nutrients like nitrogen, phosphorus, and potassium, leading to healthier plants and higher yields. Tang et al., 2024, suggested that nano pesticides and fertilizers will be one of the apt solutions for global food security and sustainability. Thievasanthi et al., 2024 reported that Chitosan has the antimicrobial property and by using various synthesis technics chitosan nanoparticles can be synthesised and can be used for coating NPK fertilizers for its slow release. Ajitha et al., 2024 reported that chlorophyll content of leaves can be increased by NiFe_2O_4 nanoparticles.

• Soil Remediation and Health:

Nanoparticles can be used to improve soil structure and fertility. By reducing soil compaction or enhancing microbial activity, nanotechnology can improve soil health,

which in turn boosts seed quality and crop yield. Dhanapal et al., 2024 reported that heavy metal contaminated soil can be reclaimed by nanoparticles (Fig. 2).

4. Dormancy breaking by seed Nano-Priming:

Nanoparticles, such as metallic and polymeric nanoparticles, can stimulate the seed's metabolic processes, promoting faster and more effective germination. Nano-priming accelerates the seed's natural biological clock, helping it sprout under less-than-ideal conditions.

5. Improving Seed Germination and Growth

Nanoparticles in Plant Growth and Yield:

Quantum dots and other nanoparticles are being explored for their ability to stimulate seed germination and promote root growth (Harish & Gowda 2017, Harish et al. 2019). Studies suggest that nanoparticles like gold and silver can enhance metabolic activity in plants, improving photosynthesis and overall plant growth. This is particularly important in seeds that face environmental stress such as drought or low soil fertility. Saidur Rahman et al., 2023, observed that 2.5 mM AgNPs treated seeds performed good in seed germination and yield (Fig.3).




Fig. 2. Environmental pollution remediation using nanotechnological approaches.

Source: Dhanapal et al. 2024




Fig. 3. Effect of silver nanoparticles on pea plant germination

Source: Saidur Rahman et al., 2023

Role in Stress Tolerance: Nanotechnology can help seeds develop enhanced tolerance to biotic and abiotic stress. For example, nanoparticles have been used to protect seeds from extreme temperatures, salinity, and drought, all of which are major limiting factors for crop yield. By improving seed stress tolerance, nanotechnology indirectly contributes to higher yields. Nahaa et al. 2024, reported that quantum dots technology has the positive impact against adverse condition

like drought stress by regulating antioxidant system facilitating nutrient uptake. Kumari et al., 2024 described the mechanism of nanoparticle role in alleviating plant stress (Fig 4). There were the balance activities between ROS and ADE was observed in nanoparticle treated plants. Al-Khayri et al 2023 clearly elucidated the mechanism of nanoparticles in various stress tolerance mechanism in plants (Fig. 5).




Fig 4. Image describing improved growth of plant upon treatment with nanoparticles in oxidative stress leading to ROS-AOE homeostasis (ROS- Reactive oxygen species; AOE- Antioxidant enzymes)

Source: Kumari et al. 2024




Fig. 5. Nanoparticles involved in combating abiotic stress

Source: Al-Khayri et al 2023

6. **Improved Seed Storage:** Nanotechnology can also improve seed storage methods. The application of nanoscale materials can prevent seed deterioration and loss of viability by creating an environment that minimizes moisture, temperature fluctuation, and microbial growth. Dangi et al., 2019, observed that FeNP 500 ppm treated soybean seeds maintained above 70 per cent germination percentage and meeting the minimum germination requirement prescribed as per Indian Minimum Seed Certification Standards up to eight months. Zheng et al, 2005 observed that the physiological effects on seeds are related to the TiO₂ nanometre-size particles, but the mechanism by which nano-TiO₂ improves the growth of spinach seeds still needs further study.

Nanotechnology's Impact on Ecosystem and Environmental Sustainability: While nanotechnology offers numerous benefits for improving seed quality and crop yields, it also has implications for ecosystems and environmental sustainability:

- **Reduced Environmental pollution** Since nanoparticles can be applied directly to seeds rather than broadcast over entire fields, they reduce the environmental impact of farming. This reduces the need for large-scale pesticide and fertilizer applications, mitigating their harmful effects on soil, water, and biodiversity.
- **Low Residue in Plants and soil:** Amount of nanoparticles applied directly to seeds is generally much smaller than that used in foliar or soil treatments. This reduces the risk of harmful nanoparticle residues accumulating in plants or entering the food chain, which is crucial for maintaining environmental and human health.
- **Challenges in Nanoparticle Toxicity:** Although the use of nanomaterials can have a positive impact, there are concerns about their potential toxicity. The size, concentration, and exposure duration of nanoparticles can lead to unintended consequences, such as hindered plant development or negative effects on soil organisms. Ongoing research is needed to

better understand the long-term effects of different types of nanoparticles (metallic, biogenic, polymeric) on plant health, soil quality, and ecosystems.

Contribution to Sustainable Development Goals (SDGs): Nanotechnology in agriculture is not only about improving productivity but also about fostering sustainable agricultural practices that contribute to the achievement of various Sustainable Development Goals (SDGs). The following are key SDGs that are directly impacted by nanotechnology in agriculture:

1. **SDG 2: Zero Hunger:** Nanotechnology plays a crucial role in increasing crop yields and improving food security by enhancing seed germination and growth. Nanoparticles can provide crops with the resilience needed to thrive in adverse environmental conditions, such as drought, poor soil quality, and salinity. By improving crop yields with fewer inputs, nanotechnology helps ensure a stable and sustainable food supply for the growing global population.
2. **SDG 3: Good Health and Well-being:** The reduction in pesticide use through nanotechnology-based treatments leads to fewer chemicals entering the food chain, improving the safety and nutritional quality of crops. Furthermore, the development of cleaner agricultural practices enhances the overall health and well-being of farming communities and consumers.
3. **SDG 6: Clean Water and Sanitation:** Nanotechnology can enhance water management in agriculture by improving water retention in seeds and soils, reducing the need for irrigation. Additionally, the use of nanomaterials in water purification systems can improve access to clean water for agricultural and domestic purposes, especially in water-scarce regions.
4. **SDG 12: Responsible Consumption and Production:** Nanotechnology promotes more efficient use of resources, such as water, fertilizers, and pesticides. By improving the precision and efficiency of agricultural inputs, nanotechnology helps reduce waste, optimize resource use, and minimize environmental impact, contributing to more sustainable agricultural practices.
5. **SDG 13: Climate Action:** The ability of nanotechnology to improve crop resilience

to environmental stressors, such as drought and temperature fluctuations, helps farmers adapt to the impacts of climate change. Additionally, the reduction in pesticide and fertilizer use reduces greenhouse gas emissions and environmental pollution, further supporting climate action.

6. **SDG 15: Life on Land:** Nanotechnology contributes to the sustainable management of terrestrial ecosystems by reducing the need for harmful chemicals, improving soil health, and promoting biodiversity. By reducing the negative impacts of traditional agricultural practices, nanotechnology can help conserve ecosystems and support biodiversity.

7. CONCLUSION

Nanotechnology has the potential to transform agriculture by improving seed quality, increasing yields, and promoting more sustainable farming practices. Through innovations such as nano-priming for seed treatment, nano-based fertilizers and pesticides, and enhanced water management, nanotechnology addresses key agricultural challenges and directly contributes to several United Nations Sustainable Development Goals (SDGs). However, careful consideration of the environmental, health, and safety implications of nanomaterials is crucial. Ongoing research, coupled with the development of appropriate regulatory frameworks, safety standards, and access to technology will be necessary to ensure that nanotechnology delivers its full potential without unintended consequences for human health, ecosystems, and biodiversity. Continued research and innovation, coupled with international collaboration, will be key to realizing the full potential of nanotechnology in achieving the SDGs.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that ChatGPT (OpenAI, Version: GPT-4), has been used during the writing and editing of this manuscript. The technology was utilized for tasks such as content refinement, structuring, summarization and enhancement of technical descriptions.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Acharya, P., Jayaprakasha, G. K., Crosby, K., Jifon, J., & Patil, B. (2019). Green-synthesized nanoparticles enhanced seedling growth, yield, and quality of onion (*Allium cepa* L.). *ACS Sustainable Chemistry & Engineering*, 7(17), 14580–14590. <https://doi.org/10.1021/acssuschemeng.9b02180>
- Ajitha, M., Siva, K., Selvarani, K., Gopinath, S. C. B., & Theivasanthi, T. (2024). Dual functionality of NiFe₂O₄ nanoparticles as a fertilizer and supercapacitor. *Inorganic Chemistry Communications*, 166, 112542. <https://doi.org/10.1016/j.inoche.2024.112542>
- Al-Khayri, J. M., Rashmi, R., Ulhas, R. S., Sudheer, W. N., Banadka, A., Nagella, P., Aldaej, M. I., Rezk, A. A., Shehata, W. F., & Almaghasla, M. I. (2023). The role of nanoparticles in response of plants to abiotic stress at physiological, biochemical, and molecular levels. *Plants (Basel)*, 12(2), 292. <https://doi.org/10.3390/plants12020292>
- Anandaraj, K., Ilakkiya, R., & Natarajan, N. (2018). Customizing zinc oxide (ZnO) & silver (Ag) nanoparticles for seed quality enhancement in onion (*Allium cepa* (Linn) cv. CO (On)). *International Journal of Current Microbiology and Applied Sciences*, 7(11), 1522-1530. <https://doi.org/10.20546/ijcmas.2018.711.175>
- Dangi, S., Biradarpatil, N. K., Deshpande, V. K., Hunje, R., & Mogali, S. (2019). Effect of seed treatment with nanoparticles on seed storability of soybean. *International Journal of Current Microbiology and Applied Sciences*, 8(11), 2535-2545. <https://doi.org/10.20546/ijcmas.2019.811.293>
- Dhanapal, A. R., Thiruvengadam, M., Vairavanathan, J., Venkidasamy, B., Easwaran, M., & Ghorbanpour, M. (2024). Nanotechnology approaches for the remediation of agricultural polluted soils. *ACS Omega*, 9(12), 13522-13533. <https://doi.org/10.1021/acsomega.3c09776>
- Eevera, T., Shanmugam, K., Djanaguiraman, M., Thirumaran, T., Le, Q. H., & Pugazhendhi, A. (2023). Unleashing the potential of nanoparticles on seed treatment and enhancement for sustainable farming. *Environmental Research*, 236, 116849. <https://doi.org/10.1016/j.envres.2023.116849>
- Harish, M. S., & Gowda, R. (2017). Effect of nanoscale zinc oxide on plant growth, seed yield, and quality in groundnut. *Mysore Journal of Agricultural Sciences*, 51(3), 637-643.
- Harish, M. S., Gowda, R., & Nethra, N. (2019). Standardization of nanoparticles for enhancing groundnut seed quality cv. ICGV-91114. *Journal of Pharmacognosy and Phytochemistry*, 8(1), 2208-2212.
- Kumari, A., Gupta, A. K., Sharma, S., Jadon, V. S., Sharma, V., Chun, S. C., & Sivanesan, I. (2024). Nanoparticles as a tool for alleviating plant stress: Mechanisms, implications, and challenges. *Plants*, 13, 1528. <https://doi.org/10.3390/plants13111528>
- Mahakham, W., Sarmah, A. K., Maensiri, S., & Theerakulpisut, P. (2017). Nanopriming technology for enhancing germination and starch metabolism of aged rice seeds using phytosynthesized silver nanoparticles. *Scientific Reports*, 7(1), 8263. <https://doi.org/10.1038/s41598-017-08669-5>
- Alotaibi, N. M., Alotibi, M. M., Younis, U., Hussain, G. S., Dawar, K., Hareem, M., Ghoneim, A. M., Fahad, S., & Danish, S. (2024). Zn-quantum dot biochar regulates antioxidants and nutrient uptake to improve rapeseed growth and yield in drought stress. *Plant Stress*, 11, 100286. <https://doi.org/10.1016/j.stress.2023.100286>
- Rahman, S., Chakraborty, A., Kibria, A., & Hossain, M. J. (2023). Effects of silver nanoparticles on seed germination and growth performance of pea (*Pisum sativum*). *Plant Nano Biology*, 5, 100042. <https://doi.org/10.1016/j.plana.2023.100042>
- Santana, I., Wu, H., Hu, P., & Giraldo, J. P. (2020). Targeted delivery of nanomaterials with chemical cargoes in plants enabled by a biorecognition motif. *Nature Communications*, 11(1), 2045. <https://doi.org/10.1038/s41467-020-15731-w>
- Shelar, A., Nile, S. H., & Singh, A. V. (2023). Recent advances in nano-enabled seed treatment strategies for sustainable agriculture: Challenges, risk assessment, and future perspectives. *Nano-Micro Letters*, 15, 54.

- <https://doi.org/10.1007/s40820-023-01025-5>
- Tang, Y., Zhao, W., Zhu, G., Tan, Z., Huang, L., Zhang, P., Gao, L., & Rui, Y. (2024). Nanopesticides and fertilizers: Solutions for global food security. *Nanomaterials*, 14, 90. <https://doi.org/10.3390/nano14010090>
- Theivasanthi, T., Iswarya, S., Ajitha, M., Gopinath, S., & Selvarani, K. (2024). Sustained release of chemical fertilizer by nanochitosan: Insights and updates. *Bio Nano Science*, 14, 3679–3692. <https://doi.org/10.1007/s12668-024-01533-7>
- Zheng, L., Hong, F., Lu, S., & Liu, C. (2005). Effect of nano-TiO₂ on strength of naturally aged seeds and growth of spinach. *Biological Trace Element Research*, 104(1), 83–92. <https://doi.org/10.1385/BTER:104:1:083>

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2025): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/128767>